

*“The manufacturer of poly tanks since 1993”*

# Rainwater Tank Selection Guide



**Freecall 1800 241 341**  
*More benefits for your money.....!*



Strong, self supporting roof - no need to get into the tank



Heavy duty brass outlets



Unique inlet system



Tank lids are not cut off and screwed back on

# Quality Storage Solutions ... Just add water!™



- All rainwater tanks are manufactured in one piece
- 100% virgin food grade polyethylene for superior strength and durability

- Stands made from galvanised steel - no timber to rot!
- Large range of sizes
- Tap or gate valve supplied

- Many other options are available, including filters, water diverters, extra outlets, water level indicators and more
- Excellent UV stabilisation and impact strength

- Unique inlet system restricts sunlight
- Attractive styling ensures your tank will blend in - not create an eyesore



\*Standard Colours. Non-standard colours may incur a surcharge and/or delivery delay - please enquire when ordering.

## TANK SPECIFICATIONS AND CAPACITY

CODE	LITRES	GALLONS	DIAMETER	INLET HEIGHT	OVERALL HEIGHT	PRICE
DWT330	330	75	0.60m (2')	1.40m (4'8")	1.40m	
DWT 600	600	130	0.95m (3'2")	0.99m (3'3")	0.99m	
DWT 600SS-G	600	130	1.2w x 0.6d x 1.5h Space Saver Galvanised Stand		1.59m	
DWT 600SS-P	600	130	1.2w x 0.6d x 1.5h Space Saver Powdercoated Stand		1.59m	
DWT 1050SS	1050	230	1.4w x 0.8d x 1.44h Space Saver No Stand		1.44m	
DWT 1050SS-G	1050	230	1.4w x 0.8d x 1.94h Space Saver Galvanised Stand		1.93m	
DWT 1050SS-P	1050	230	1.4w x 0.8d x 1.94h Space Saver P/coated Stand		1.93m	
DWT 1070SS-G	1070	235	2w x 0.6d x 1.99h Space Saver Galvanised Stand		2.06m	
DWT 1070SS-P	1070	235	2w x 0.6d x 1.99h Space Saver Powdercoated Stand		2.06m	
DWT1200	1200	260	0.95m (3'2")	1.90m (6'3")	1.86m	
DWT 1500	1500	350	1.30m (4'3")	1.38m (4'7")	1.48m	
DWT 2000SS	2000	440	2.07w x 0.6d x 1.85h Space Saver No Stand		1.85m	
DWT 2250	2250	500	1.30m (4'3")	1.94m (6'6")	2.00m	
DWT 3000	3000	650	1.83m (6')	1.34m (4'5")	1.44m	
DWT 5000	5000	1100	1.83m (6')	2.08m (6'10")	2.20m	
DWT 5900	5900	1300	2.42m (8')	1.48m (4'11")	1.65m	
DWT 7200	7200	1600	2.42m (8')	1.76m (5'10")	1.95m	
DWT 9000	9000	2000	2.42m (8')	2.17m (7'2")	2.35m	
DWT 11000	11000	2500	2.42m (8')	2.47m (8'2")	2.70m	
DWT 18000	(4000g COMBO) combination of 2 x 2000g Tanks				2.35m	
DWT 22000	(5000g COMBO) combination of 2 x 2500g Tanks				2.70m	
DWT 23500	23500	5200	3.60m (12')	2.54m (8'7")	2.80m	
DWT 47000	(10,400g COMBO) combination of 2 x 5200g Tanks				2.80m	

For more information and your nearest distributor

**FREECALL 1800 241 341**

Fax 1300 764 157

DISTRIBUTED BY:



**ANSTEY PRODUCTS** PTY. LTD.  
 Rotational Moulding Service and Quality  
*More benefits for your money.....!*

Please note:  
 Specifications are subject to change at any time without notice. All dimensions, capacities and colours are approximate.